


1/31

Figure 1




APPROVED	O G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

2/31

T08080" 908E5860

Figure 2




APPROVED	O G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

3/31

FO8080" 908E5860

Figure 3




APPROVED	O G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

4/31

108080" 908E5860

Figure 4a




APPROVED	O G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

5/31

T08080" 908E5B60

Figure 4b




APPROVED	C. G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

6/31

102080" 908E5860

Figure 5a




APPROVED	O G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

7/31

TO8080" 903E5860

Figure 5b




APPROVED	O G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

8/31

FO8080" 908E5860

Figure 5c




APPROVED	O G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

9/31

T08080" 908E5860

Figure 6a




APPROVED	O G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

10/31

108080" 908E5860

Figure 6b




◊ Track 1 ◻ Track 2 ▲ Track 3

APPROVED	O G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

11/31

T08080" 908E5860

Figure 6c




APPROVED	O G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

12/31

T08030" 908E5860

Figure 6d



mm


◊ 45°C

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

13/31

103030" 908E5860

Figure 6e




◊ 50°C

APPROVED	O. G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

14/31

108080" 908E5860

Figure 6f




◊ 55 $^{\circ}\text{C}$

APPROVED	O G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

15/31

T0808D" 308E5860


Figure 6g



APPROVED	O G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

16/31

Figure 6h




65°C

T08080" 908E5860

APPROVED	O G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

17/31

Figure 6i



◊ 70 $^{\circ}\text{C}$


108080° 908E5860

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

18/31

T09080" 908E5860

Figure 6j




◊ 75°C

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

19/31

Figure 6k




80°C

APPROVED	O G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

20/31

108080" 908E5860

Figure 7a




APPROVED	O G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

21/31

108080" 90855860


Figure 7b



22/31

108080" 908E5860

Figure 8a




APPROVED	O G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

23/31

FORWARD " 908E5860

Figure 8b




APPROVED	O G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

24/31

T08080" 908E5860

Figure 8c




APPROVED	O G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

25/31

108080" 908E5860

Figure 8d




♦ Track 1 - Track 2 - Track 3

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRRAFTSMAN		

26/31

T08080" 908E5860

Figure 9a




APPROVED	O G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

27/31

00853800 908E5860

Figure 9b




APPROVED	O G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

28/31

108030" 908E5860

Figure 9c




APPROVED	O G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

29/31

108080" 90855360


270

Figure
10a



270

Figure
10b




APPROVED	O. G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

30/31

T08080" 908E5860

Figure 11a



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

31/31

FO8080" 908E5860

Figure 11b

